## DISCOVER the world of



# Saunas and Steambaths Quality, Service & Craftsmanship Since 1962



Saunas are a centuries old tradition for relaxtion and healthy living.

Picture yourself in the soft, cedar scented warmth of your very own sauna as it soothes your tired muscles, cleanses your skin and revitalises your spirit.

After one or two sessions in your own sauna, you will wonder how you ever lived without it.



The heart of every sauna is the sauna heater. TYLO sauna heaters are widely renowned and greatly respected for their high quality and distinct features - but not everyone knows all the reasons for this. That's why we'd like to take the opportunity to point out some of the most important benefits of the TYLO design and why the hottest range of sauna heaters on the market knocks all the others cold.

## Quickest heat-up time.

Twin side chambers maximize the through-flow of air, minimize heat-up time and economize on running costs. No other sauna heater uses less energy.

## The lowest energy consumption.

Test after test confirms that TYLO is the most energy-efficient sauna heater.

### The most even bathing temperature.

A divided output is the secret behind the constant bathing temperature and lower energy consumption of a TYLO heater. Divided output means the heater elements cycle in stages. For the initial heat up all the elements are on, then the elements cycle on and off in stages as needed to maintain an even temperature. Other heaters are either 100% on or completely off, resulting in a temperature swing. TYLO heaters maintain an overall higher and more consistent temperature.

## The finest material quality

Only TYLO has a solid-cast top, inner casing and stainless steel stone compartment.

### Optimum water sprinkling.

A deep generously proportioned stone compartment, and direct contact between the stones and the heating elements ensure perfect water sprinkling with 100% vaporization.

#### Built-in humidifier.

This unique TYLO feature further enhances your sauna bathing experiences.

#### Safe to touch

Thermosafe soft touch covering ensures a low surface temperature - just 40°C on the front and sides of the heater.

#### Best in test.

Time and time again TYLO has scored top marks in Finnish sauna tests. TYLO was first awarded the coveted "Best in Test" accolade in competition with seven Finnish heaters in 1982. A test published in a Finnish magazine (Kuluttaja no.5, 1995) confirmed that TYLO also has the quickest heating-up time and lowest energy consumption. A SEMKO test in April 1999 confirmed this result, and also proved that the steam generating performance of TYLO heaters was unrivaled.





### SenseSport (control at bottom of heater)

Control panel with thermostat and mechanical timer integrated into the base of the heater



The Sense models are a brand new sauna heater, combining sleek design with the reliable functionality and genuine quality of TYLO.

Removable compartment for fragrant essences .



# TYLO SENSE PLUS with PURE 2.0 or ELITE control

The TYLO SENSE PLUS uses the separate control mounted outside the sauna or inside at less the 3' above floor level.

PLUS Contro





Elite Wi-Fi Control



## TYLO SENSE COMBI w/ PURE or ELITE

The TYLO COMBI is quite simply the most sophisticated sauna heater on the market-the only heater that lets you enjoy traditional saunas and steam or herbal saunas (Tylarium) in one and the same room. The choice is yours-a traditional sauna at 68-90°C (155-194°F) in a relative humidity of 5-35%, or a steam sauna at 45-65°C (110-150°F) with steam at 40-65% humidity. You can even add a little spice to your bathing with a refreshing herbal sauna. The heater has built-in dispensers for dried or fresh natural herbs and liquid essences, so you can blend your own favorite fragrance.

The COMBI has all the hallmark features of a quality TYLO heater, plus a number of special technical innovations: electronic programming of bathing mode (time, temperature and humidity), stainless steel water reservoir, 10 hour pre-set function and a 1 hour bathing time. Automatic and manual on/off, electronic low-water cut-off; and automatic drying function after completion of steam sauna cycle.

| Residential Models | KW  | VOLTS | PHASE | AMPS | *BREAKER | *WIRE | CUBIC<br>MIN. | FEET<br>MAX. |
|--------------------|-----|-------|-------|------|----------|-------|---------------|--------------|
| 5                  | 4.7 | 240   | 1     | 18.3 | 30       | 10    | 70            | 210          |
| 7                  | 7   | 240   | 1     | 29.2 | 40       | 8     | 140           | 320          |
| 8                  | 8.3 | 240   | 1     | 34.6 | 40       | 8     | 175           | 440          |

\*Breaker & wire size is recommnedation only. Confirm with your licensed electrician.

